

18

Designs

Collection No. 12894 18 Designs Project instructions included

MAKE & TAKE ROADWAY PUZZLE

Fits hoop sizes 5" x 7" and larger

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2021 OESD, LLC. All rights reserved.





Isacord Thread Colors

0015 White

- 0131 Smoke (2 spools)
- 3612 Starlight Blue
- 5326 Evergreen
- 5411 Shamrock
- * Project instructions included after design list.

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

TABLE OF CONTENTS

Designs	3
Collection Supplies	12
Summary	13
Embroidery	14
Layout Inspiration	19
Applique Patterns	26
Mirrored Patterns	27

Interactive menu

Click to navigate to section.




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12894-01 Roadway Puzzle Piece 1

	Size mm: 143.9 X 110.9 mm	
	ent Stitch	
	d Tackdown	
	Cut Line and Tackdown	
	Stitch	
/. Grass Cove	er Stitch	5411





12894-02 Roadway Puzzle Piece 2

	Size mm: 177.0 X 111.0 mm	
	ent Stitch d Tackdown	
	Cut Line and Tackdown	
	Stitch	
7. Grass Cove	r Stitch	5411



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12894-03 Roadway Puzzle Piece 3

	Size mm: 144.1 X 111.0 mm	
 Cut Line an Road 4. Road Lines 5. Fiber Form 6. Road Cover 	ent Stitch d Tackdown Cut Line and Tackdown ^r Stitch r Stitch	0131 0131 0015 0131 0131





12894-04 Roadway Puzzle Piece 4

	Size mm: 176.7 X 110.9 mm	
1. Felt Placem	ent Stitch	0131
2. Cut Line an	d Tackdown	0131
3. Road		0131
2 4. Road Lines		0015
5. Fiber Form	Cut Line and Tackdown	0131
6. Road Cove	r Stitch	0131
7. Grass Cove	er Stitch	5411




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12894-05 Roadway Puzzle Piece 5

	Size mm: 143.9 X 110.9 mm	
 Cut Line an Road 4. Road Lines 5. Fiber Form 6. Road Cover 	ent Stitch d Tackdown Cut Line and Tackdown r Stitch er Stitch	0131 0131 0015 0131 0131





12894-06 Roadway Puzzle Piece 6

	Size mm: 177.0 X 111.0 mm	
	ent Stitch	
3. Road	d Tackdown	0131
	Cut Line and Tackdown	
	⁻ Stitch r Stitch	




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


*Fabric Required

12894-07 Roadway Puzzle Piece 7

	Size mm: 144.1 X 111.0 mm	
 2. Cut Line an 3. Road 4. Road Lines 5. Fiber Form 6. Road Cover 	ent Stitch d Tackdown Cut Line and Tackdown [•] Stitch r Stitch	



*Fabric Required



12894-08 Roadway Puzzle Piece 8

	Size mm: 176.6 X 110.9 mm	
1. Felt Placem	ent Stitch	0131
2. Cut Line an	d Tackdown	0131
3. Road		0131
2 4. Road Lines		0015
5. Fiber Form	Cut Line and Tackdown	0131
6. Road Cover	r Stitch	0131
7. Grass Cove	er Stitch	5411




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

12894-09 Roadway Puzzle Piece 9

	Size mm: 177.0 X 110.9 mm	
 Cut Line an Road 4. Road Lines 5. Fiber Form 6. Road Cover 	ent Stitch d Tackdown Cut Line and Tackdown ^r Stitch r Stitch	





12894-10 Roadway Puzzle Piece 10

	Size mm: 143.5 X 110.9 mm	
1. Felt Placem	ent Stitch	0131
 Cut Line an 	d Tackdown	0131
3. Road		0131
4. Road Lines		0015
5. Fiber Form	Cut Line and Tackdown	0131
6. Road Cover	r Stitch	0131
7. Grass Cove	er Stitch	5411




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


*Fabric Required

12894-11 Roadway Puzzle Piece 11

	Size mm: 176.6 X 110.9 mm	
 Cut Line an Road Road Lines Fiber Form Road Cover 	ent Stitch d Tackdown Cut Line and Tackdown r Stitch er Stitch	0131 0131 0015 0131 0131



*Fabric Required




12894-12 Roadway Puzzle Piece 12

	Size mm: 177.0 X 111.0 mm	
	ent Stitch	
2. Cut Line and Tackdown3. Road		0131
	Cut Line and Tackdown	
	⁻ Stitch r Stitch	




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.



12894-13 Roadway Puzzle Piece 13

	Size mm: 177.0 X 110.9 mm	
 Cut Line an Road Road Lines Fiber Form Road Cove 	ent Stitch d Tackdown Cut Line and Tackdown r Stitch er Stitch	

*Fabric Required



12894-14 Roadway Puzzle Piece 14

	Size mm: 144.0 X 111.0 mm	
	ent Stitch d Tackdown	
3. Road		0131
2 4. Road Lines		0015
5. Fiber Form Cut Line and Tackdown		0131
6. Road Cover	Stitch	0131
7. Grass Cove	r Stitch	5411



Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.

*Fabric Required

*Fabric Required

12894-15 Roadway Puzzle Piece 15

	Size mm:	
6.97 X 4.37 in.	177.0 X 110.9 mm	19135 St.
1. Felt Placem	nent Stitch	0131
Cut Line an	d Tackdown	0131
3. Road		0131
— 4. Road Lines		0015
5. Fiber Form	Cut Line and Tackdown	0131
6. Road Cove	r Stitch	0131
7. Grass Cove	er Stitch	5411

12894-16 Roadway Puzzle Piece 16

	Size mm:	
6.97 X 4.37 in.	177.0 X 110.9 mm	21775 St.
1. Felt Placem	ent Stitch	0131
2. Cut Line an	d Tackdown	0131
3. Road		0131
4. Road Lines		0015
5. Fiber Form	Cut Line and Tackdown	0131
6. Road Cover	Stitch	0131
7. Grass Cove	r Stitch	5411




Note: Some designs in this collection may have been created using unique special stitches and/or techniques. To preserve design integrity when rescaling or rotating designs in your software, always rescale or rotate designs using the handles directly on-screen.


*Fabric Required

12894-17 Roadway Puzzle Piece 17

697 X 437 in 1	177.0 X 110.9 mm	Stitch Count: 23524 St
1. Felt Placeme	nt Stitch Tackdown	0131
 3. Road 4. Road Lines 		
	ut Line and Tackdown Stitch Stitch	0131



	Size mm: 176.8 X 110.9 mm	
2. Cut Line an	ent Stitch d Tackdown	
 3. Pond 4. Pond Detail 5. Bushes 		
6. Fiber Form	Cut Line and Tackdown r Stitch	5411



COLLECTION SUPPLIES



Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway
- OESD Fiber Form
- OESD StitcH2O Topping (recommended)

Fabrics/Textiles

• Green felt - amount will vary depending on the number of pieces created. Use the applique templates as a guide to the dimensions of the various applique pieces.

Notions & Tools

- OESD Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth


Isacord Thread Colors

Per thread chart





OESD MOTOR SPEEDWAY



Completed Size:	Requires 1 designs	Requires 2 designs	Requires 3 designs
17 x 30 in.	02, 03, 04, 06, 07, 08, 11, 12, 15,	01, 05, 09, 10	13, 14, 18
	16,17,		

The freestanding applique instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown. Fabric and thread requirements will vary by design, but the general technique is the same.

All designs are stitched with matching thread, top and bobbin.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

Notes

EMBROIDERY

 Hoop one layer of AquaMesh and one layer of BadgeMaster for all designs.



- Load selected design into the machine.
- Example design is 12894-12.
- Thread the machine per the thread chart.
- Place hoop on the machine.
- Stitch Machine Step 1, Felt Placement Stitch.









STEP 3

- Remove the hoop from the machine, but NOT the project from the hoop.
- Lay the hoop on a flat surface.
- Completely cover the placement stitch with the felt.
- Tape in place to secure.



STEP 4

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



STEP 5

- Remove the hoop from the machine, but NOT the project from the hoop.
- Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will still hold the applique in place.
- Tip: Cover the design with StitcH2O for better-quality stitches on felt. Tape in place to secure.





STEP 6

- Return the hoop to the machine.
- Stitch Machine Steps 3 and 4, STOP BEFORE Machine Step 5, Fiber Form Cut Line and Tackdown.



STEP 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and place the Fiber Form, completely covering the placement stitch.
- Carefully tape to secure.
- Note: Fiber Form is applied to the back of the project to keep puzzle pieces flat. If you desire a more dimensional look, apply Fiber Form under felt prior to Machine Step 2 Tackdown and Cut Line stitching.
- Tip: If you desire a more finished back, add felt on top of the Fiber Form in this step and trim with the Fiber Form in the next step.
- Note: Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.





STEP 8

- Return the hoop to the machine.
- Stitch Machine Step 5, Fiber Form Cut Line and Tackdown.




STEP 9

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and trim the excess Fiber Form as close to the cut line as possible



STEP 10

- Return the hoop to the machine and stitch the remaining machine steps, according to the thread chart.
- Tip: For a finished back, match the bobbin to the upper thread.



STEP 11

When the design is complete, remove the project from the hoop and trim the stabilizer $\frac{1}{4}$ " - $\frac{1}{2}$ " outside the design.

STEP 12

- Rinse each piece in warm running water until the stabilizer is • removed from the design.
- Lay right side down on a non-stick surface to dry. Parchment • paper or a cooling rack work well to prevent curling. Dry completely.
- Once dry, press right side down on a Perfect Embroidery • Press Cloth.

Electronic designs are licensed to the original purchaser for use at one location. ©2021 OESD, LLC. All rights reserved.











- Stitch out as many track puzzle pieces as desired.
- Pages 19-23 include inspirational track layouts. Let the creativity flow.



18


LAYOUT INSPIRATION





LAYOUT INSPIRATION











OESD EMBROIDERY ROADWAY








OESD EMBROIDERY RACEWAY PARK







OESD NEEDLE AND THREAD INTERNATIONAL CIRCUIT



PRINTING INSTRUCTIONS



ATTENTION


When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.


Printer	
Name: Savin C3535 PCL5c	✓ Properties
Status: Ready	Comments and Forms:
Type: Savin C3535 PCL5c	Document and Markups 🔹
Print Range	Preview: Composite
© All	K
Current view	Τ.
Current page	
© Pages 1-51	
Subset: All pages in range	
Reverse pages	
Page Handling	
Copies: 1 Collate	11
Page Scaling: None 🔻	
V Auto-Rotate and Center	
Choose paper source by PDF page size	
Use custom paper size when needed	
Print to file	Document: 8.5 x 11.0in
	Paper: 8.5 x 11.0in
Print color as black	1/52


TO SAVE PAPER


Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.


Print Range	2
Current	t view
Ourrent page	
Pages	1 - 51
Subset:	All pages in range 🔹
Reverse pages	













APPLIQUE PATTERNS






APPLIQUE PATTERNS









APPLIQUE PATTERNS








ТМ







Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.

36

