

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2022 OESD, LLC. All rights reserved.





Isacord Thread Colors

0640 Parchment	1115 Copper	2723 Peony
0703 Orange Peel	1134 Light Cocoa	4643 Amazon
0842 Toffee	1521 Flamingo	4752 Vintage Blue
0851 Old Gold	1755 Hyacinth	5542 Garden Moss
0904 Spanish Gold	2155 Pink Tulip	5643 Green Dust
0933 Redwood	2220 Tropicana	5722 Green Grass
0941 Golden Grain	2510 Roseate	5912 Erin Green
1055 Bark	2521 Fuschia	6031 Limelight

^{*} Project instructions included after design list.

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

TABLE OF CONTENTS

Interactive Menu

Click to navigate to section.

Designs	3
Collection Supplies	9
Summary	10
Embroidery	16
General Freestanding Lace Guide	21
Punch Tool Guides	22





*Fabric Required



12924-01 Cherry Blossom Bookmark FSA

Size Inches:	Size mm:	Stitch Count:
6.91 X 2.73 in.	175.4 X 69.4 mm	9053 St.
1. Felt Placem	ent Stitch	0933
2. Tackdown C	Cut Guide	0933
3. Brown Deta	il	0933
4. Gold Detail.		0941
5. Dark Blue D	etail	4643
6. Light Blue D)etail	4752
7. Dark Pink D	etail	2521
8. Medium Pin	k Detail	2220
9. Light Pink D	etail	2155
10. Seam Stitch	n/Match Bobbin Thread	4643




12924-02 Cherry Blossom Bookmark Charm FSL

Size Inches:	Size mm:	Stitch Count:
1.29 X 1.51 in.	32.7 X 38.3 mm	2370 St.
1. Yellow Lace		0703
2. Medium Pin	k Lace	2220
3. Dark Pink La	ace	2521






*Fabric Required



12924-03 Bamboo Bookmark FSA

Size Inches:	Size mm:	Stitch Count:
6.91 X 2.73 in.	175.4 X 69.4 mm	11411 St.
1. Felt Placem	ent Stitch	0941
2. Tackdown C	Cut Guide	0941
3. Gold Detail.		0941
4. Medium Gre	een Detail	5722
5. Light Green	Detail	5912
6. Yellow Deta	il	6031
7. Dark Green	Detail	5643
8. Seam Stitch	n/Match Bobbin Thread	0941

12924-04 Bamboo Bookmark Charm FSL



Size Inches:	Size mm:	Stitch Count:
1.51 X 0.62 in.	38.4 X 15.8 mm	1313 St.
1. Light Green	Lace	5912
2 Dark Green	Lace	5722





*Fabric Required



12924-05 Ginkgo Bookmark FSA

Size Inches:	Size mm:	Stitch Count:
6.91 X 2.73 in.	175.4 X 69.4 mm	8416 St.
1. Felt Placem	ent Stitch	0703
2. Tackdown (Cut Guide	0703
3. Yellow Deta	il	0703
4. Orange Det	ail	0904
5. Red Detail		1115
6. Medium Bro	own Detail	1134
7. Dark Brown	Detail	1055
8. Seam Stitch	n/Match Bobbin Thread	0904

12924-06 Ginkgo Bookmark Charm FSL



Size Inches:	Size mm:	Stitch Count:
1.54 X 1.29 in.	39.2 X 32.7 mm	1999 St.
1. Orange Lac	e	0904
_		
3. Red Lace		1115





*Fabric Required



12924-07 Orchid Bookmark FSA

Size Inches:	Size	mm:	Stitch Count:
6.91 X 2.73 in.	175.4 X	69.4 mm	9668 St.
1. Felt Placem	ent Stitch .		0941
2. Tackdown C	Cut Guide		0941
3. Gold Detail.			0941
4. Brown Deta	ıil		1055
5. Medium Gre	een Detail .		5722
6. Dark Green	Detail		5643
7. Dark Purple	Detail		2723
8. Medium Pu	rple Detail.		2510
9. Pink Detail .			2155
10. Yellow Deta	il		0703
11. Seam Stitch	n/Match Bo	bbin Thread.	2510

12924-08 Orchid Bookmark Charm FSL



Size Inches:	Size mm:	Stitch Count:
1.51 X 1.34 in.	38.5 X 34.1 mm	2614 St.
1. Yellow Lace)	0703
2. Medium Purple Lace		2510
3. Dark Purple	Lace	2723





*Fabric Required



12924-09 Apple Blossom Bookmark FSA

Size Inches:	Size	mm:	Stitch Count:
6.91 X 2.73 in.	175.4 X	69.4 mm	10208 St.
1. Felt Placem	ent Stitch .		0941
2. Tackdown C			
3. Dark Gold D			
4. Brown Detail			
5. Tan Branch	Detail		0842
6. Light Green	Detail		5912
7. Medium Gre	en Detail .		5722
8. Yellow Detail	il		0640
9. Light Tan De			
10. Tan Flower	Detail		0842
11. Pink Detail.			1755
12. Red Detail			1521
13. Seam Stitch	/Match Bol	bbin Thread.	1521

12924-10 Apple Blossom Bookmark Charm FSL



Size Inches:	Size mm:	Stitch Count:
1.46 X 1.27 in.	37.2 X 32.2 mm	2686 St.
1. Light Yellow	Lace	0640
2. Tan Lace		0851
3. Dark Yellow	Lace	0703






*Fabric Required



12924-11 Welcoming Pine Bookmark FSA

Size mm:	Stitch Count:
175.4 X 69.4 mm	8511 St.
ont Stitch	1115
Cut Guide	1115
	1115
	0842
il	1134
een Detail	5542
Detail	5643
Detail	4752
n/Match Bobbin Thread.	0842
	In the state of th

12924-12 Welcoming Pine Bookmark Charm FSL





COLLECTION SUPPLIES



Stabilizers

OESD StabilStick TearAway

Fabrics/Textiles

- Each bookmark consists of:
- 3 ½" x 8" Felt (1)
- 3 ½" x 8" Quilter's cotton fabric (1)
- 1/8" ribbon, 7" long (1)
- Note: Fabric sizes are estimates and may result in overage.

Notions & Tools

- Expert Embroidery Tape TearAway
- OESD Perfect Punch Tool
- OESD Perfect Embroidery Press Cloth
- Embroidery Needles Sharp 75/11

Isacord Thread Colors

- · Per thread chart
- Match the bobbin thread to the upper thread.







Completed Size: 6 3/4" H x 3 1/8" W

Fabric

- 3 ½" x 8" Felt (1)
- 3 ½" x 8" Quilter's cotton fabric (1)
- 1/8" ribbon, 7" long (1)

12924-01





Requires 1 Design

Requires 1 Design







Completed Size: 6 3/4" H x 3 1/8" W

Fabric

- 3 ½" x 8" Felt (1)
- 3 ½" x 8" Quilter's cotton fabric (1)
- 1/8" ribbon, 7" long (1)

12924-03



Requires 1 Design



Requires 1 Design







Completed Size: $6 \frac{3}{4}$ " H x $3 \frac{1}{8}$ " W

Fabric

- 3 ½" x 8" Felt (1)
- 3 ½" x 8" Quilter's cotton fabric (1)
- 1/8" ribbon, 7" long (1)



Requires 1 Design

12924-06



Requires 1 Design








Completed Size: $6 \frac{3}{4}$ " H x $3 \frac{1}{8}$ " W

Fabric

- 3 ½" x 8" Felt (1)
- 3 ½" x 8" Quilter's cotton fabric (1)
- 1/8" ribbon, 7" long (1)



Requires 1 Design



12924-08

Requires 1 Design







Completed Size: 6 3/4" H x 3 1/8" W

Fabric

- 3 ½" x 8" Felt (1)
- 3 ½" x 8" Quilter's cotton fabric (1)
- 1/8" ribbon, 7" long (1)





Requires 1 Design



Requires 1 Design







Completed Size: 6 3/4" H x 3 1/8" W

Fabric

- 3 ½" x 8" Felt (1)
- 3 ½" x 8" Quilter's cotton fabric (1)
- 1/8" ribbon, 7" long (1)

12924-11



Requires 1 Design



Requires 1 Design



Notes

The In The Hoop Bookmark instructions, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown.

Fabric and thread requirements will vary by design, but the general technique is the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

STEP 1

- Hoop one layer of StabilStick TearAway paper (shiny) side up.
- Use a pin or needle to score the paper.
- · Remove the paper to reveal the adhesive surface.



STEP 2


• Cut felt and back fabric 3 1/2" x 8".






STEP 3

- · Load selected design into the machine.
- Example design is 12924-01.
- Thread the machine per the thread chart.
- Stitch Machine Step 1, Felt Placement Stitch.




STEP 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the felt.
- Finger press to secure.
- Return the hoop to the machine.



STEP 5

Stitch Machine Step 2, Tackdown Cut Guide.





STEP 6

• Stitch the remaining machine steps, according to the thread chart.



STOP before the last machine step "Seam Stitch".

NOTE: Trimming between machine steps is recommended.




STEP 7

- Remove the hoop from the machine, but NOT the project from the hoop.
- Turn the hoop over and place the fabric, right side up, completely covering the placement stitch.
- Carefully tape to secure. Avoid pushing too hard on the stabilizer to prevent it from dislodging from the hoop.
- · Return the hoop to the machine.



STEP 8

• Stitch Machine Step 10, Seam Stitch per the thread chart with matching bobbin thread.







STEP 9

• When the design is complete, remove the project from the hoop and trim all layers just inside the Tackdown Cut Guide.



STEP 10

• Once trimmed, press right side down on a Perfect Embroidery Press Cloth.



STEP 11

 Using the OESD Perfect Punch Tool fitted with the 4mm tip, punch out the designated eyelet. Punch Tool Guides are located on page 22.





STEP 12

- Thread one end of the ribbon through the eyelet of the bookmark and tie.
- Thread the other end of the ribbon through the eyelet of the charm and tie.







STEP 13

Your project is complete. Enjoy!



GENERAL FREESTANDING LACE GUIDE



Stabilizer

- · OESD AquaMesh
- OESD BadgeMaster

Notions/Tools

- 80/12 Embroidery
 Ballpoint Titanium needle
 for extended needle life
- OESD Alligator Clamps
- OESD Button Clips
- OESD Perfect Point and Press Tool

Isacord Thread Colors

- All OESD designs are digitized with Isacord 40 wt. polyester thread as the top thread and in the bobbin.
- Refer to the thread chart for color specifications.
- Match bobbin thread color to the top thread.

Instructions

Step 1 - Hoop

For FSL structures, hoop one layer of OESD AquaMesh and one layer of OESD BadgeMaster. BadgeMaster contains more starch so, combined with the AquaMesh, the lace is more rigid. For other FSL, where a softer lace is desired, hoop two layers of AquaMesh.

Step 2 - Embroider

Stitch the design per the thread chart with matching thread in the bobbin at each color change.

When complete, remove from the hoop and trim away excess stabilizer about 1/4"-1/2" from the stitching.

Step 3 - Rinse

Rinse remaining stabilizer out in warm running water.

For stiffer lace and FSL structures, DO NOT rinse away all of the stabilizer. The lace should be just slightly tacky. For softer lace, rinse until all traces of the stabilizer are removed.

Step 4 - Dry

Lay right side down flat on a nonstick surface, such as a cooling rack, parchment paper or Teflon sheet. This minimizes the tendency for the lace to curl.

Let the pieces dry completely before proceeding with any assembly.

Step 5 - Press

Once completely dry, press right side down on a OESD Perfect Embroidery Press Cloth.

Step 6 - Assemble Structure

Note: Specific assembly instructions for a design/collection may be found in the thread chart pdf following the individual design color charts.

Lace must be COMPLETELY DRY before assembly. Wetting the buttonettes or eyelets to assemble is not recommended and may result in them stretching and coming "unbuttoned" when dry.

Use a pair of OESD Alligator Clamps to insert the buttonettes into the eyelets. Insert the tip of the OESD Alligator Clamps into the eyelet, grasp the buttonette and pull through the eyelet. Alternatively, use a stiletto or tweezers to push the buttonette through the eyelet.

Helpful Tips

Limp Lace

If the design is not stiff enough, press the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction. Or easily restiffen by diluting some stabilizer scraps in water (or use liquid starch) and dipping the item in the solution. Lay flat to dry.

Eyelets Too Small

If any of the eyelets appear closed or too small to penetrate with Alligator Clamps, they may be stretched by inserting the small end of the OESD Perfect Point and Press Tool into the eyelet opening and stretching it open wide enough to accommodate the OESD Alligator Clamps.

Button Clips

During the assembly process, some structures pull on buttonettes that have already been inserted and could pull them out altogether. Putting a Button Clip on the assembled buttonette will keep it in position during the assembly process. Remove the Button Clips when the assembly is complete.

Alternative Construction Option


In some cases, the buttonettes may be pulled to the inside of a project, instead of being visible on the outside. Insert the OESD Alligator Clamps through the eyelet from the wrong, or inside, of the lace and grasp the corresponding buttonette. Pull the buttonette to the wrong side of the lace.

Pulling the buttonettes to the inside may cause stress on the ones already done. Button clips may be placed on the completed buttonette(s) to prevent them from pulling out of the eyelet during construction.


PUNCH TOOL GUIDES




12924-01




12924-03




12924-05




12924-07



12924-09



12924-11



= 2 MM



- 4 MM

CRAFT KNIFE