

2

DESIGNS





Silver Bells Ornaments







12808-01 Flat Bell Ornament FSA


Size	Inches:	Size mm:	Stitch Count:
4.26 እ	X 5.09 in.	108.20 X 129.29 mm	26770 St.
□ 1.	Fabric Plac	ement Stitch	0015
2.	Cut Line ar	nd Tackdown	0015
3.	Lace		0015
4.	Blue Detail		3762
5.	Metallic Lir	ework	7005
6.	Dark Gray	Linework	4073
7.	Light Gray	Linework and Cover Stite	ch 0145
8.	Cover Stite	h Highlights	

12808-02 Flat Square Ornament FSA

Size Inches: 5.33 X 5.32 in.		
 2. Cut Line and 3. Lace 4. Blue Detail 5. Metallic Lin 6. White Leav 7. Dots 	cement Stitch nd Tackdown nework ves and Cover Stitch ch Highlights	0145 0145 3762 7005 0015 4073







*Fabric Required

12808-03 Flat Scalloped Ornament FSA

Size Inches:	Size mm:	Stitch Count:
4.54 X 4.55 in.	115.32 X 115.57 mm	25226 St.
1. Fabric Plac	ement Stitch	
2. Cut Line ar	nd Tackdown	
3. Lace		
4. Metallic Lin	ework	
5. Leaf and B	ells	0145
6. Dots		4073
7. Cover Stitc	h and Linework	0145
8. Cover Stitc	h Highlights	

12808-04 Flat Circle Ornament FSA









12808-05 Flat Oval Ornament FSA

Size	Inches:	Size mm:	Stitch Count:
3.67 X	4.94 in.	93.22 X 125.48 mm	20646 St.
□ 1.	Fabric Plac	ement Stitch	0015
2.	Cut Line an	d Tackdown	0015
3.	Lace		0015
4.	Metallic Lin	ework	
5.	Dots		4073
6.	Blue Linewo	ork	3762
7 .	Leaf and Sv	virls	0015
8.	Cover Stitch	٦	0145
9.	Cover Stitch	n Highlights	



12808-06 Flat Holly Ornament FSA

Size	Inches:	Size mm:	Stitch Count:
3.27 Σ	K 5.03 in.	83.06 X 127.76 mm	22246 St.
1.	Fabric Plac	ement Stitch	0145
2.	Cut Line ar	nd Tackdown	0145
3.	Lace		0145
4.	Metallic Lin	ework	7005
5.	Blue Detail		3762
6.	Dots		4073
7 .	Cover Stitc	h	0015
8.	Cover Stitc	h Highlights	7029








12808-07 Flat Snowflake Ornament FSA

Size Inches:	Size mm:	Stitch Count:
3.89 X 5.02 in.	98.81 X 127.51 mm	26706 St.
1. Fabric Plac	ement Stitch	0145
2. Cut Line ar	nd Tackdown	0145
3. Lace		0145
4. Gray Detai	l	0145
5. Metallic Lin	nework	7005
6. Dots		4073
7. Cover Stite	h	3762
8. Cover Stite	h Highlights	


12808-08 Flat Tree Ornament FSA











12808-09 Gift Tag 1 FSA

Size Inches: 2.70 X 5.73 in.		Size mm: 68.58 X 145.54 mm	
 2. 3. 4. 5. 6. 7. 	Cut Line an Lace Metallic Lin Dots Bells Cover Stitc	ement Stitch d Tackdown ework h and Linework h Highlights	0015 0015 7005 4073 3762 0145

*Fabric Required



12808-10 Gift Tag 2 FSA

Size Inche	s: S	ize mm:	Stitch Count:
2.96 X 5.60	in. 75.18 X	K 142.24 mm	22139 St.
1. Fabric	Placement S	titch	0145
2. Cut Li	ne and Tackdo	own	0145
3. Lace			0145
4. Metall	ic Linework		
5. Blue L	inework		
6. Cover	Stitch and De	tail	0015
7. Dots			4073
8. Cover	Stitch Highlig	hts	








12808-11 Gift Tag 3 FSA

Size Inches: 2.76 X 5.02 in.	Size mm: 70.10 X 127.51 mm	
 2. Cut Line a 3. Lace 4. Metallic Li 5. Dots 6. Leaf Swirl 	cement Stitch nd Tackdown nework s and Cover Stitch ch Highlights	

12808-12 Mini Bell Ornament FSL









12808-13 Mini Holly Ornament FSL

Size Inches:	Size mm:	Stitch Count:
1.32 X 2.33 in.	33.53 X 59.18 mm	4991 St.
1. Single Cold	or Design	0145


12808-14 Mini Tree Ornament FSL

Size Inches:	Size mm:	Stitch Count:
1.59 X 2.45 in.	40.39 X 62.23 mm	6182 St.
1. Single Cold	or Design	0145









12808-15 Mini Snowflake Ornament FSL

Size Inches:	Size mm:	Stitch Count:
1.82 X 2.20 in.	46.23 X 55.88 mm	6862 St.
1. Single Cold	or Design	3762



12808-16 Mini Ornament 1 FSL

Size Inches:	Size mm:	Stitch Count:
1.73 X 2.01 in.	43.94 X 51.05 mm	7495 St.
1. Single Cold	or Design	







12808-17 Mini Ornament 2 FSL


Size Inches:	Size mm:	Stitch Count:
1.84 X 2.14 in.	46.74 X 54.36 mm	6359 St.
□ 1. Single Cold	or Design	0015

12808-18 Mini Ornament 3 FSL

Size Inches:	Size mm:	Stitch Count:
1.37 X 2.44 in.	34.80 X 61.98 mm	6622 St.
1. Single Cold	or Design	3762








12808-19 Bell Ornament 1 Piece FSA

Size Inches:	Size mm:	Stitch Count:
2.27 X 3.93 in.	57.66 X 99.82 mm	11595 St.
1. Fabric Place	cement Stitch	0145
2. Cut Line a	nd Tackdown	0145
3. Gray Oute	r Lace and Cover Stitch.	0145
4. Metallic Lir	nework	7005
5. Dark Gray	Linework	4073
6. Blue Detai		3762
7. White Inne	r Lace and Cover Stitch.	0015


12808-20 Bell Ornament 1 Hanger FSL

Size Inches:	Size mm:	Stitch Count:
2.07 X 2.33 in.	52.58 X 59.18 mm	9176 St.
1. Single Cold	or Design	0015










12808-21 Bell Ornament 2 Piece FSL

Size Inches:	Size mm:	Stitch Count:
1.92 X 3.23 in.	48.77 X 82.04 mm	10351 St.
1. Blue Lace		
2. White Lace		0015
3. Light Gray I	_ace	0145


12808-22 Bell Ornament 2 Hanger FSL

Size Inches:	Size mm:	Stitch Count:
2.07 X 2.33 in.	52.58 X 59.18 mm	9176 St.
1. Single Cold	or Design	0145










12808-23 Teardrop Ornament Piece FSA

Size In	ches:	Size mm:	Stitch Count:
1.78 X 4	.90 in.	45.21 X 124.46 mm	9803 St.
🗆 1. Fa	abric Plac	ement Stitch	
🗆 2. Ci	ut Line an	d Tackdown	0015
🗆 3. W	hite Oute	r Lace	0015
💻 4. Da	ark Gray	Linework	4073
5. M	etallic Lin	ework	
🗆 6. In	ner White	Detail	0015
7 . Bl	ue Lace a	and Inner Cover Stitch.	

12808-24 Teardrop Ornament Hanger FSL

Size Inches:	Size mm:	Stitch Count:
2.07 X 2.33 in.	52.58 X 59.18 mm	9176 St.
1. Single Cold	or Design	







Stabilizer

- AquaMesh WashAway
- Fusible Woven CutAway

Supplies


- Embroidery thread
- Fabric for applique
- Embroidery machine
- Bobbin with matching thread
- Optional -
 - alligator clamps, tweezers, hemostats, stiletto or a tiny crochet hook
 - Expert Embroidery Tape TearAway
 - Temporary Spray Adhesive

Isacord Thread Colors

0015 White
0145 Skylight
3762 Country Blue
4073 Metal
7005 (SN1) Silver
7029 (AN3) Pearlessence Light Blue








Requires 6 Designs

EMBROIDERY



STEP 1

- Prep fabric by applying 2 sheets of Fusible Woven CutAway to the wrong side of the fabric.
- **Note** this stabilizes your fabric so it isn't too limp and produces a nice crisp project.




STEP 2

- Hoop two sheets of AquaMesh.
- Stitch Machine Step 1, the Placement Stitch.



STEP 3

- Place fabric over placement stitch and cover stitches completely.
- Stitch Machine Step 2, the Cut Line and Tackdown.
- **Optional** use TearAway tape to hold fabric in place.



EMBROIDERY




STEP 4

- Remove tape carefully.
- Remove hoop from machine, **DO NOT** unhoop fabric/stabilizer.
- Trim along cut line.




STEP 5

• Complete the remaining Machine Steps of the design changing colors as required.




STEP 6

- Wash away stabilizer and let dry.
- **Note** for instructions and tips, see last page.



ASSEMBLY






12808-20 12808-20 Bell Ornament 1 Hanger FSL

(6) 12808-19 12808-19 Bell Ornament 1 Piece FSA



ASSEMBLY






12808-22 12808-22 Bell Ornament 2 Hanger FSL

(6) 12808-21 12808-21 Bell Ornament 2 Piece FSL



ASSEMBLY





12808-24 12808-24 Teardrop Ornament Hanger FSL

(6) 12808-23 12808-23 Teardrop Ornament Piece FSA







General Freestanding Lace Guidelines

Supplies:

Embroidery Thread:

- Use the same embroidery thread in the bobbin as the needle. **Needles:**
- Use an Organ 80/12 Titanium needle for extended needle life. **Stabilizer:**
- Use OESD AquaMesh stabilizer.

Handy Hints:

For Stiffer Lace:

- DO NOT rinse away all of the stabilizer for a "stiffer" lace. Note that the thread may appear a shade darker if stabilizer is not removed completely.
- If you happen to wash too much out, easily re-stiffen by diluting some stabilizer scraps in water and dipping the item in the solution.

For Very Soft Lace:

• Cut away excess stabilizer. Remove remaining stabilizer by rinsing under warm running water until all traces of the stabilizer are gone. **NOTE**: If lace should become too limp to work with, dissolve stabilizer scraps in warm water and apply to the lace.

Drying Lace:

• The lace looks best when left to dry completely. Lay lace piece with right side down to dry. This will minimize the tendency for the lace to curl. Be sure to flatten the piece out entirely and allow ample time to dry.

Diagram 1

General Instructions

- 1. Hoop two layers of OESD AquaMesh Stabilizer.
- 2. Attach the hoop to the machine and select the design of your choice.
- 3. Stitch the design.
- 4. Remove the hoop from the machine and the design from the hoop. Trim excess stabilizer from the design.
- 5. Rinse away remaining stabilizer and allow it to dry.

Handy Hints:

For 3D Lace Projects:

- If item becomes too limp to work with, iron the lace pieces on the wrong side while applying spray starch. After ironing, spray again with starch and allow to dry completely. This will stiffen the lace pieces nicely and aid in construction.
- A pair of tweezers, hemostats, stiletto or a tiny crochet hook can be extremely helpful when inserting the buttonettes into the eyelets. (Please see **Diagram 1** for explanation of "buttonette" and "eyelet".)
- Insert the tip of the alligator clamps, tweezers, hemostats or crochet hook into the eyelet, grasp the buttonette and pull through the eyelet. Or a stiletto could be used to push the buttonette through the eyelet.

