



# Black Cat Treat Pouch

#22023-06

1 DESIGN

## MATERIALS



### Isacord Thread Colors

0020 Black

**Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.**

# MATERIALS



## Stabilizers

- OESD Heavy Weight TearAway

## Fabrics/Textiles

- Small Pouch
  - Felt (2) 6" x 10"
  - OESD Clear Vinyl
  - 3/8" Ribbon 24 inches
- Large Pouch
  - Felt (2) 8" x 12"
  - OESD Clear Vinyl
  - 3/8" Ribbon 24 inches
- Note: Fabric sizes are estimates and may result in overage.

## Notion & Tools

- OESD Expert Embroidery Tape TearAway
- OESD Expert Point and Press Tool
- OESD Alligator Clamps
- OESD Perfect Embroidery Press Cloth
- Embroidery Needle Sharp 75/11
- OESD Grippy GRID

## Isacord Thread Colors

- Per thread chart

# EMBROIDERY



## General Instructions

Some thread colors in instructions have been changed or digitally enhanced for better visibility.

**Note:** Instructions use images from PK10003 Love Treat Pouch.


### □ Step 1

- Cut the clear vinyl slightly larger than the Vinyl Cut Line and Tackdown.



### □ Step 2


- Hoop one layer of Heavy Weight TearAway.
- Load the selected design into the machine.
- The design in the example is PK10003-01L.
- Thread the machine per the thread chart.
- Place the hoop on the machine.



# EMBROIDERY

## □ Step 3

- Stitch Machine Step 1, Front Felt Placement Stitch.




## □ Step 4

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Completely cover the placement stitch with the felt.
- Tape in place to secure.



## □ Step 5


- Return the hoop to the machine.
- Stitch Machine Step 2, Front Felt Tackdown.



# EMBROIDERY

## □ Step 6

- Stitch Machine Step 3, Felt Cut Line and Tackdown.
- Remove the hoop from the machine, but NOT the project from the hoop.



## □ Step 7

- Place the hoop on a flat surface.
- Trim the excess fabric as close to the cut line as possible. If the innermost stitches (cut line) are cut, the outer stitches (tackdown) will hold the fabric in place.



## □ Step 8

- Completely cover the placement stitch with clear vinyl.
- Tape corners to secure.



# EMBROIDERY

## Step 9

- Return the hoop to the machine.
- Stitch Machine Step 4, Cut Line and Tackdown.



## Step 10

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place on a flat surface.
- Trim the excess clear vinyl as close to the outer stitching as possible.



## Step 11

- Return the hoop to the machine and stitch Machine Steps 5-11 per the thread chart.



# EMBROIDERY


## Step 12

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the back felt, over the front of the pouch, completely covering the stitched design.
- Tape in place to secure.



## Step 13

- Return the hoop to the machine.
- Stitch Machine Step 12, Seam Stitch/Match Felt.



## Step 14

- The stitching is complete.
- Remove the project from the hoop and trim approximately 1/4" from the seam stitch.
- Gently tear away the stabilizer.

**Tip:** Trim all excess thread tails before turning the pouch.



# ASSEMBLY

## □ Step 15

- Turn the pouch inside out to show the right side of the design.
- Use the large end of the Expert Point and Press Tool to push out the corners and edges.



## □ Step 16


- Press right side down on a Perfect Embroidery Press Cloth.
- Place the pouch on a protected surface, right side up.
- Use a craft knife and cut through both layers of the felt in the ribbon guides. Take care not to cut the stitching.



## □ Step 17

- Start from the center of the ribbon guides and weave a 3/8" ribbon through the openings around the pouch.

**Tip:** The Alligator Clamp is helpful when weaving the ribbon in and out of the ribbon guides.





# ASSEMBLY

## □ Step 18


- Add candy to the pouch.
- Cinch pouch and tie a jaunty bow.
- Enjoy!



# PUNCH TOOL GUIDES

PK10003 L

PK10003 S



CRAFT KNIFE

