

Flower Napskin Corners

### #PK10017 4 DESIGNS

## MATERIALS



#### **Isacord Thread Colors**

0010 Silky White 0520 Daffodil 1860 Shell 2650 Impatiens 4740 Aquamarine

In the second second

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

It is a violation of Copyright law to make and distribute copies of electronic designs or artwork. Electronic designs are licensed to the original purchaser for use at one location. ©2023 OESD, LLC. All rights reserved.

## MATERIALS



#### **Stabilizers**

 OESD AquaMesh Plus WashAway Note: Selected for this project as the area being embroidered is an edge and cannot be held securely by the embroidery hoop. The adhesive is water-soluble and will dissolve completely when the project is rinsed with warm running water.

#### Fabrics/Textiles

Napkins

#### Notion & Tools

- OESD Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- OESD Grippy Grid

#### **Isacord Thread Colors**

- Per thread chart
- Match bobbin thread to top thread

2

#### General Instructions


The instructions included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown.

Fabric and thread requirements will vary by design, but the general technique is the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

#### Step 1

- Hoop one layer of AquaMesh Plus with the paper (shiny) side up.
- Score and remove paper to reveal the adhesive surface.





• Stitch Machine Step 1, Corner Placement Stitch.



### Step 3

• Place the napkin so the edges of one corner align with the placement line.

Stitch Machine Step 2, Cut Line and Tackdown.





Step 4



Trim the excess fabric as close to the cut line as possible. If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the napkin in place.

**IMPORTANT**: Be sure to trim on the side that will cut away the corner and leave the body intact.

Tip: If the stabilizer is cut or a hole is created while trimming the fabric, use Expert Embroidery Tape WashAway as a patch.



### Step 6

- Stitch the remaining machine steps, per thread chart.
- Match the bobbin thread to the upper thread.



DESIGN PACK

 $\bigcirc$ 



• When the design is complete, remove the project from the hoop and trim the stabilizer 1/4"- 1/2" outside the design.



5

### OSD DESIGN

### Step 8

- Rinse in warm running water to remove the remaining AquaMesh Plus.
- Place right side down on a non-stick surface to dry. Parchment paper or a cooling rack will prevent curling. Dry completely.
- Once dry, press right side down on a Perfect Embroidery Press Cloth.
- ENJOY!

