



Stained Glass Folk Flowers

#PK10018

4 DESIGNS/ 6 FILES

MATERIALS

OESD™ DESIGN
PACK

Isacord Thread Colors

0020 Black
0310 Yellow
0311 Canary

1300 Tangerine
1903 Lipstick
5500 Limedrop

5613 Light Kelly

Note: One spool of 1000 meter thread is adequate for the project unless otherwise noted.

SUMMARY



Finished Design: 6.25" H x 2.5" W



PK10018-01




Requires 2 Designs

PK10018-02



Requires 2 Designs

PK10018-03



Requires 1 Design

OTHER PROJECTS

Window Cling
PK10018-04



Requires 1 Design

Coaster
PK10018-05



Requires 1 Design

Bookmark
PK10018-06



Requires 1 Design

MATERIALS



Stabilizers

- OESD AquaMesh WashAway
- OESD BadgeMaster WashAway

Fabrics/Textiles

- OESD Clear Vinyl- 1 roll
- Organza 1/4 yard

Note: Fabric sizes are estimates and may result in overage.

Notion & Tools

- OESD Alligator Clamps
- OESD Button Clips
- Expert Embroidery Tape TearAway
- Expert Embroidery Tape WashAway
- OESD Perfect Embroidery Press Cloth
- Grippy GRID
- Embroidery Needle Sharp 75/11

Isacord Thread Colors

- Per thread chart
- All designs are stitched with matching thread, top and bobbin.

General Instructions

The freestanding applique instructions,, included in the collection, are general instructions. For demonstration purposes, a sample design that best demonstrates the technique is shown.

Fabric and thread requirements will vary by design, but the general technique is the same.

Note: Some thread colors in instructions have been changed or digitally enhanced for better visibility.

□ Step 1

- Hoop one layer of AquaMesh and one layer of BadgeMaster for all designs.



□ Step 2

- Load selected design into the machine.
- Example design is PK10018-01.
- Thread the machine per the thread chart.
- Place hoop on the machine.
- Stitch Machine Step 1, Clear Vinyl Placement Stitch.



EMBROIDERY

□ Step 3

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Place the clear vinyl, completely covering the placement stitch.
- Tape in place to secure.



□ Step 4

- Place the organza, completely covering the placement stitch.
- Tape in place to secure.



□ Step 5

- Return the hoop to the machine.
- Stitch Machine Step 2, Cut Line and Tackdown.



EMBROIDERY

□ Step 6

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim the excess organza as close to the cut line stitching as possible.
- Trim the excess vinyl as close to the cut line stitching as possible.
- If the outermost stitches (cut line) are cut, the inner stitches (tackdown) will hold the applique in place.
- Tip: If the stabilizer is cut or a hole is created while trimming the fabric, use Expert Embroidery Tape WashAway as a patch.



□ Step 7

- Return the hoop to the machine.
- Stitch Machine Step 3, Clear Vinyl Placement Stitch.



EMBROIDERY

Step 8

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Place the clear vinyl, completely covering the placement stitch.
- Tape in place to secure.




Step 9

- Place the organza, completely covering the placement stitch.
- Tape in place to secure.



Step 10

- Return the hoop to the machine.
- Stitch Machine Step 4, Cut Line and Tackdown.



EMBROIDERY

Step 11

- Remove the hoop from the machine, but NOT the project from the hoop.
- Place the hoop on a flat surface.
- Trim the excess organza as close to the cut line stitching as possible.
- Trim the excess vinyl as close to the cut line stitching as possible.



Step 12

- Return the hoop to the machine.
- Stitch the design per the thread chart with matching bobbin thread.



Step 13

- When the design is complete, remove the project from the hoop and trim the stabilizer 1/4" - 1/2" outside the design.



ASSEMBLY

□ Step 14

- Rinse each piece in warm running water until the design is only slightly tacky.
- Place right side down on a non-stick surface to dry. Parchment paper or a cooling rack work well to prevent curling. Dry completely.
- Once dry, press right side down on a Perfect Embroidery Press Cloth.
- Tip: Clear vinyl is safe to press on low heat.




□ Step 15

- Arrange all pieces right side up, alternating PK10018-01 and PK10018-02 around Base FSL (PK10018-03) as shown.



□ Step 16



- Thread the sewing machine with matching thread in the top and bobbin.
- Stitch the base and the 4 sides together using a multi-step zigzag stitch (also known as a serpentine stitch).
- Back stitch at the beginning and end to secure.
- Trim thread tails.
- Tip: An open toe or edge stitch foot is helpful.
- Fold and press to shape.



ASSEMBLY

Step 17

- Match the eyelets and buttonettes. Pull each buttonette through the corresponding eyelet, using button clips to temporarily hold them in place, as needed.




Step 18

- Add tea lights or pixie lights to create a glow.




ATTENTION

When printing this document, any page scaling or page fitting options in your print dialog box must be turned OFF or set to NONE so that your files will print out at their actual size. Images not printed at actual size will not function as intended.



TO SAVE PAPER





Only print the desired image by navigating to the image's page, go to File > Print and select "Current page" in the print dialog box. Repeat for each desired image.



APPLIQUE PATTERNS




Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.





APPLIQUE PATTERNS DESIGN PACK

Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



APPLIQUE PATTERNS DESIGN PACK





Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.




PK10018-04

Mirrored


MIRRORED PATTERNS



Print at 100%. No scaling. This box measures 1" x 1". Use the box as an accuracy guide when printing templates.



PK10018-05
Mirrored



PK10018-06
Mirrored